

17 Harrison Street
 Marshalltown
 P O Box 61542
 Marshalltown 2107
 Tel : (011) 688-1400 Fax : (011) 688-1556



| | |
|-----------------------|-------|
| PAGE NO. | |
| | |
| CLOSING DATE AND TIME | |
| 13-May-21 | 16:00 |
| Date of Issue | |
| 05 May 2021 | |
| VALIDITY | |
| 60 Days | |

| | |
|--------------------------|--------------------|
| INITIATING DEPARTMENT | INITIATOR |
| CYDNA-Goudkoppies | Desegan Padayachee |
| | |
| QUOTATION REFERENCE | COLLECTIVE NO. |
| | |
| QUOTATION REQUESTED FROM | |
| | |
| | |
| | |
| | |

JWRFQPM181 - ELECTRONIC BALANCE

REQUEST FOR QUOTATION

| |
|----------------|
| QUOTATION DATE |
| 60 Days |

QUOTATIONS WILL BE EVALUATED ON THE 80/20 POINT SCORING SYSTEM.80 POINTS WILL BE ALLOCATED TO PRICE AND THE REMAINING 20 POINTS WILL BE ALLOCATED FOR BBBEE AND PREFERENTIAL PROCUREMENT
 ALL SUPPLIERS RESPONDING TO QUOTATIONS SHOULD BE REGISTERED ON CENTRAL SUPPLIER DATABASE(CSD)
 JW CONTACT PERSON: Paul Mabatane Mangoale
 TEL: (011) 688 1408 Fax (011) 688 1556 Email: Paul.mangoale@jwater.co.za

| ITEM NO. | DESCRIPTION | BRAND NAME OFFERED | UOM | QTY REQUIRED | PRICE QUOTED EXCL. OF V.A.T. | DIS |
|----------|--|--------------------|-----|--------------|------------------------------|-----|
| 1 | Electronic Balance | | | 1 | | |
| | Specification: | | | | | |
| | 1. Capacity :1500-4600g | | | | | |
| | 2. Readability : 0,01g | | | | | |
| | 3.Display: Digital | | | | | |
| | 5. Weighing plate: Round | | | | | |
| | 6. ISO 17025 Calibrated , with certificate | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| | | |
|------------------|---|---|
| SUPPLIER DETAILS | | CONDITIONS |
| OFFICIAL STAMP | AUTHORISED BY: SIGNATURE:..... DATE:..... | 1. QUOTATIONS RECEIVED AFTER CLOSE OF BUSINESS ON THE CLOSING DATE WILL NOT BE ACCEPTED. 2. QUOTATIONS WITHOUT BRAND NAMES WHERE REQUIRED WILL NOT BE ACCEPTED 3. PRICES QUOTED MUST BE AS PER THE UNIT INDICATED AND BE EXCLUDED OF VAT 4 QUOTATIONS WITHOUT THE SUPPLIER'S AUTHORISED SIGNATURE WILL NOT BE ACCEPTED. 5 ACCEPTANCE OF A QUOTATION WILL BE SUBJECT TO JOHANNESBURG WATER'S SUPPLY CHAIN POLICY |