17 Harrison Street
Marshalltown

P O Box 61542
Marshalltown 2107
Tel : (011) 688-1400 Fax : (011) 688-1556

Johannesburg Water

PAGE NO.	
1 OF 1	
CLOSING DATE AND TIME	
13-May-21	16:00
Date of Issue	
05 May 2021	
RFQ VALIDITY	
60 DAYS	

INITIATING DEPARTMENT	INITIATOR
STORES- CYDNA	Shumani Ramagoma

JWRFQPM186 - ECONOCLEAR FILTER MEMBRANE & ECONOFILT FILTER PAPER

QUOTATION REFERENCE	COLLECTIVE NO.

QUOTATION REQUESTED FROM

REQUEST FOR QUOTATION

QUOTATION VALIDITY
60 DAYS

QUOTATIONS WILL BE EVALUATED ON THE 80/20 POINT SCORING SYSTEM.80 POINTS WILL BE ALLOCATED TO PRICE AND THE REMAINING 20 POINTS WILL BE ALLOCATED FOR BBBEE AND PREFERENTIAL PROCUREMENT
ALL SUPPLIERS RESPONDING TO QUOTATIONS SHOULD BE REGISTERED ON CENTRAL SUPPLIER DATABASE(CSD)
JW CONTACT PERSON: Paul Mabatane Mangoale

TEL: (011) 688 1408 FAX (011) 688 1556 Email: paul.mangoale@jwater.co.za

ITEM NO.		DISCRIPTION OF OFFERED ITEM	UOM	QTY REQUIRED	PRICE QUOTED EXCL. OF V.A.T.	DIS
1	Econoclear filter membrane 0.45micron 47mm diameter			**100**		
2	Econofilt filter paper(Reinforced Glass Fibre)47mm diameter			**150**		
	Chemicals must be from the supplier that is ISO 9001 Certified for					
	QMS- Requirements in manufacturing, packaging and supplying/distribution of					
	laboratory equipments and reagents.					
	Valid ISO Cetificate to be sent with the Quotation					
	Certificate of Analysis that correspond to company and product must be supplied					
	NB: All suppliers responding to Rfq's should use their own company					
	letter head not Jw Rfq Template AND MAKE SURE THEIR EMAIL ADDRESS					
	IS VISIBLE ON THEIR QUOTATION.					
	QUOTATION REFERENCE AS ABOVE JW….					

SUPPLIER DETAILS

OFFICIAL STAMP

AUTHORISED BY: ……

SIGNATURE:……

DATE:……..

CONDITIONS

1. QUOTATIONS RECEIVED AFTER CLOSE OF BUSINESS ON THE CLOSING DATE WILL NOT BE ACCEPTED.
2. QUOTATIONS WITHOUT BRAND NAMES WHERE REQUIRED WILL NOT BE ACCEPTED
3. PRICES QUOTED MUST BE AS PER THE UNIT INDICATED AND BE EXCLUDED OF VAT
4 QUOTATIONS WITHOUT THE SUPPLIER'S AUTHORISED SIGNATURE WILL NOT BE ACCEPTED.
5 ACCEPTANCE OF A QUOTATION WILL BE SUBJECT TO JOHANNESBURG WATER'S SUPPLY CHAIN POLICY