

17 Harrison Street
 Marshalltown
 P O Box 61542
 Marshalltown 2107
 Tel : (011) 688-1400 Fax : (011) 688-1556



| | |
|-----------------------------------|-------|
| PAGE NO. | |
| CLOSING DATE AND TIME | |
| 17-Dec-21 | 16:00 |
| Date of Issue 09 December 2021 | |
| VALIDITY 60 Days | |

| | |
|--|--|
| INITIATING DEPARTMENT CYDNA-Stores | INITIATOR Desegan Padayachee |
| QUOTATION REFERENCE | COLLECTIVE NO. |
| QUOTATION REQUESTED FROM | |

JWRFQPM490 - CHEMICALS

REQUEST FOR QUOTATION

| |
|----------------|
| QUOTATION DATE |
| 60 Days |

QUOTATIONS WILL BE EVALUATED ON THE 80/20 POINT SCORING SYSTEM.80 POINTS WILL BE ALLOCATED TO PRICE AND THE REMAINING 20 POINTS WILL BE ALLOCATED FOR BBBEE AND PREFERENTIAL PROCUREMENT
 ALL SUPPLIERS RESPONDING TO QUOTATIONS SHOULD BE REGISTERED ON CENTRAL SUPPLIER DATABASE(CSD)
 JW CONTACT PERSON: Paul Mabatane Mangoale
 TEL: (011) 688 1408 Fax (011) 688 1556 Email: paul.mangoale@jwater.co.za

| ITEM NO. | DESCRIPTION | BRAND NAME OFFERED | UOM | QTY REQUIRED | PRICE QUOTED EXCL. OF V.A.T. | DIS |
|----------|--|--------------------|-----|--------------|------------------------------|-----|
| 1 | 100 µs/cm Conductivity Standard 500 ml (AR) | | | <u>15</u> | | |
| 2 | Ammonium Chloride 500g (AR) | | | <u>10</u> | | |
| 3 | Acetone 2.5 l (UL) | | | <u>25</u> | | |
| 4 | Chlorine Reagent Set (473ML Free chlorine buffer for CL17 Analyzer, 473ml Free chlorine indicator solution, 24g DPD Compound | | | <u>30</u> | | |
| 5 | Zinc Sulphate 500g | | | <u>8</u> | | |
| 6 | DiSodium Hydrogen Phosphate 500g | | | <u>6</u> | | |
| 7 | Ammonium Ferrous Sulphate 500g (AR) | | | <u>10</u> | | |
| 8 | Ascorbic Acid 500g (AR) | | | <u>30</u> | | |
| 9 | 200 µs/cm Conductivity Standard 500 ml (AR) | | | <u>10</u> | | |
| 10 | 500 µs/cm Conductivity Standard 500 ml (AR) | | | <u>20</u> | | |
| 11 | 1413 µs/cm Conductivity Standard 500 ml (AR) | | | <u>10</u> | | |
| 12 | Mercuric Red Oxide 100g | | | <u>10</u> | | |
| 13 | Phenol Crystals 500g (AR) Merck | | | <u>50</u> | | |
| 14 | Potassium Hydrogen Phthalate 500g | | | <u>12</u> | | |
| 15 | Sodium Hydroxide Pellets 500g (AR) | | | <u>60</u> | | |
| 16 | Hydrochloric Acid 37% 2.5l (AR) | | | <u>18</u> | | |
| 17 | Methanol 2.5l HPLC or GC grade | | | <u>20</u> | | |
| 18 | Salicylic Acid 500g AR | | | <u>30</u> | | |
| 19 | Phenol Crystals 500g (AR) Merck | | | <u>40</u> | | |
| 20 | Hydrogen Peroxide 2.5L | | | <u>10</u> | | |

| | | | |
|-------------------------|----------------------|---|--|
| SUPPLIER DETAILS | | CONDITIONS | |
| OFFICIAL STAMP | AUTHORISED BY: | 1. QUOTATIONS RECEIVED AFTER CLOSE OF BUSINESS ON THE CLOSING DATE WILL NOT BE ACCEPTED. 2. QUOTATIONS WITHOUT BRAND NAMES WHERE REQUIRED WILL NOT BE ACCEPTED 3. PRICES QUOTED MUST BE AS PER THE UNIT INDICATED AND BE EXCLUDED OF VAT 4 QUOTATIONS WITHOUT THE SUPPLIER'S AUTHORISED SIGNATURE WILL NOT BE ACCEPTED. 5 ACCEPTANCE OF A QUOTATION WILL BE SUBJECT TO JOHANNESBURG WATER'S SUPPLY CHAIN POLICY | |
| | SIGNATURE:..... | | |
| | DATE:..... | | |